



We create chemistry

ENERTITE® Max Open-cell Spray Foam **MAXIMIZE** Your Performance



ENERTITE® Max is a low-density open-cell SPF insulation, formulated for high-yield application performance while meeting GREENGUARD Gold standards. It is ideal for insulation and air sealing applications in residential and commercial construction. ENERTITE Max provides contractors with improved yield, consistent thermal values, and superior overhead application performance.

Get more with less, with ENERTITE Max:

- Less time needed for setup and processing
 - Simplified mixing before & during application on the B-side
 - No recirculation or preheating required if SPF materials are >70°F
- Less dripping - fast reaction and less “rain” from overhead
- Less staining – easy removal from floors
- Adheres well to itself
- Easy sprayability
- Coverage rates 20K-22K bd. ft. per set
- Less material used = MAX profitability

Other Product Feature and Qualifications:

- GREENGUARD Gold certification
- Low-VOC, improved odor profile after application
- Quick re-entry time (2 hours for other trades with proper ACH)
- Easy to achieve uniformity and target thicknesses
- NFPA 285 complying assemblies available
- Fire Resistant assemblies available
- INTERTEK Code Compliance Research Report CCRR-1032

1-888-900-FOAM

BASF Corporation
Houston, TX 77054
www.spf.basf.com
spfinfo@basf.com

1703-ETMAX-SPFContractor

THEY ARE PROVIDED FOR GUIDANCE ONLY. BECAUSE MANY FACTORS MAY AFFECT PROCESSING OR APPLICATION/USE, BASF RECOMMENDS THAT THE READER MAKE TESTS TO DETERMINE THE SUITABILITY OF A PRODUCT FOR A PARTICULAR PURPOSE PRIOR TO USE. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH, OR THAT THE PRODUCTS, DESIGNS, DATA OR INFORMATION MAY BE USED WITHOUT INFRINGING THE INTELLECTUAL PROPERTY RIGHTS OF OTHERS. IN NO CASE SHALL THE DESCRIPTIONS, INFORMATION, DATA OR DESIGNS PROVIDED BE CONSIDERED A PART OF THE BASF TERMS AND CONDITIONS OF SALE. FURTHER, THE DESCRIPTIONS, DESIGNS, DATA, AND INFORMATION FURNISHED BY BASF HEREUNDER ARE GIVEN GRATIS AND BASF ASSUMES NO OBLIGATION OR LIABILITY FOR THE DESCRIPTION, DESIGNS, DATA OR INFORMATION GIVEN OR RESULTS OBTAINED, ALL SUCH BEING GIVEN AND ACCEPTED AT THE READER'S RISK.

UL and the UL logos are trademarks of UL LLC.
ENERTITE® is a registered trademark of BASF Corporation.
© 2022 BASF Corporation

