



We create chemistry

SKYTITE® Roofing

Less Downtime When Replacing BURs

SKYTITE® spray-applied polyurethane foam (SPF) roofing technology from BASF delivers a cost-effective and sustainable solution for a failing Built-Up Roof (BUR) – one that results in less downtime and disruption than any other roofing system.

Traditionally, a BUR in need of repair means the complete tear-off and removal of the old roof. This is a labor-intensive and costly process that usually sends thousands of pounds of debris to the landfill. The owner and contractor also run the risk of damaging the interior contents of the building during the extended exposure period associated with traditional methods of roof repair.

But it's a whole different situation when you choose a SKYTITE® SPF roof. That's because a complete tear-off is usually avoidable. Before applying SKYTITE roofing systems, the existing roof should be thoroughly inspected for moisture content, leaks and structural integrity. Any loose aggregate is removed using a roof vacuum, which greatly reduces the weight load on the roof and eliminates the remaining dirt and dust. Any required repairs to the deck or existing roof are done prior to the installation of the SPF roof directly to the existing BUR system.



SKYTITE® roofing installs without the need for penetrating fasteners. There are no holes through your roof deck. Instead, SPF is applied as a fluid at a thickness of 1.5 – 2 inches (more if improved drainage or insulation is required). As the foam cures, it expands to approximately 20 times its original mass. Within minutes, it becomes a very rigid and durable insulating layer. A SKYTITE® elastomeric coating is then applied to provide added protection from the elements, and, if desired, provide ENERGY STAR®-rated reflectivity for reduced urban heat island effect and improved building energy efficiency.


Most problems with a BUR occur at the details and penetrations. SPF is a seamless and self-flashing system that offers better protection by creating its own transitions at pipes, walls and edges.

SPF roofing has been used successfully in North America for more than 35 years and has been identified as offering a broad range of benefits by owners, specifying influences, regulatory authorities, technical groups and roofing contractors. Some of these benefits include:

- Proven leak-free
- Seamless design and construction
- Lightweight
- Repairable, renewable and sustainable (SPF extends the life of the existing roof system for 10, 20, 30 years or more)
- Minimum disruption and downtime during installation
- Highest wind uplift resistance
- Lower maintenance costs
- Lower energy costs
- Improved indoor environment
- Long-life expectancy
- Lower lifecycle cost (inspections and repairs are quick and easy)
- Long-term, single source, warranty

Zero tear-off during installation means zero landfill fees and zero downtime. The durability of an SPF roof means you can reduce maintenance costs. Reflective coatings and high R-value mean increased building energy efficiency and environmental responsibility for reduced operating costs and low environmental impact.

BASF continues to invest in technological innovation, market and application development for SPF roofs, as well as in specialized training programs for all sectors of the industry.



1-888-900-FOAM

BASF Corporation
1703 Crosspoint Avenue
Houston, TX 77054
Fax: 713-383-4592
www.spf.basf.com
spfinfo@basf.com

363-1045

While the descriptions, designs, data and information contained herein are presented in good faith and believed to be accurate, they are provided for guidance only. Because many factors may affect processing or application/use, BASF recommends that the reader make tests to determine the suitability of a product for a particular purpose prior to use. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made regarding products described or designs, data or information set forth, or that the products, designs, data or information may be used without infringing the intellectual property rights of others. In no case shall the descriptions, information, data or designs provided be considered a part of the BASF terms and conditions of sale. Further, the descriptions, designs, data, and information furnished by BASF hereunder are given gratis and BASF assumes no obligation or liability for the description, designs, data or information given or results obtained, all such being given and accepted at the reader's risk.

SKYTITE® is a registered trademark of BASF Corporation.
ENERGY STAR® is a registered trademark of the U.S. Department of Energy.
© 2018 BASF Corporation

